

ASSIGNED

AMENDED

Nº 50146

APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office..... SEP 5 1986  
Returned to applicant for correction..... OCT 22 1986  
Corrected application filed..... DEC 19 1986  
Map filed..... DEC 22 1986 under 50145

The applicant..... OP. & P./SEARCH, Joint Venture  
..... 916 Nevada Highway....., of..... Boulder City.....  
Street and No. or P.O. Box No. City or Town  
..... NV..... (89005)....., hereby make... application for permission to appropriate the public  
State and Zip Code No.  
waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-  
tion; if a copartnership or association, give names of members.)  
The joint venture consists of two valid Nevada Corporations.

1. The source of the proposed appropriation is..... Underground.....  
Name of stream, lake, spring, underground or other source
2. The amount of water applied for is..... 2.0 second feet..... second-feet  
One second-foot equals 448.83 gals. per min.  
(a) If stored in reservoir give number of acre-feet.....
3. The water to be used for..... Mining, Ore Processing.....  
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.
4. If use is for:  
(a) Irrigation, state number of acres to be irrigated.....  
(b) Stockwater, state number and kinds of animals to be watered.....  
(c) Other use (describe fully under "No. 12. Remarks").....  
(d) Power:  
(1) Horsepower developed.....  
(2) Point of return of water to stream.....
5. The water is to be diverted from its source at the following point within the NE1/4 NE1/4 Section 19,  
Describe as being within a 40-acre subdivision of public  
T29S, R63E, MDM or at a point from which the Southeast corner of Section 31,  
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.  
T28S, R63E, MDM bears N 50 42' E a distance of 16.418 feet.
6. Place of use..... Section 19, T29S, R63E, MDM.....  
Describe by legal subdivision. If on unsurveyed land, it should be so stated.
7. Use will begin about January 1st and end about December 31st, of each year.  
Month and Day Month and Day
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Drilled and cased well with pump and motor,  
State manner in which water is to be diverted, i.e. diversion structure, ditches and  
distribution system to mineral processing area.  
flumes, drilled well with pump and motor, etc.
9. Estimated cost of works..... \$50,000.....

10. Estimated time required to construct works.....Three years.....  
If well completed, describe works.
11. Estimated time required to complete the application of water to beneficial use.....Five years.....
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Compared.....jjk/se.....pm/se.....

Protested.....

By.....s/Harry R. Ericson.....  
 Harry R. Ericson, Agent  
 950 Industrial Way  
 Sparks, NV 89431

APPROVAL

OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins or before the Proof of Completion of Work is filed.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

This permit is issued under the preferred use provisions of NRS Chapter 534. The manner of use of water under this permit is by nature of its activity a temporary use and any application to change the manner of use granted under this permit will be subject to additional determination and evaluation with respect to the permanent (CONTINUED ON PAGE 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and

not to exceed.....2.0.....cubic feet per second, but not to exceed 530 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before.....March 1, 1990.....

Proof of completion of work shall be filed on or before.....April 1, 1990.....

Application of water to beneficial use shall be made on or before.....March 1, 1993.....

Proof of the application of water to beneficial use shall be filed on or before.....April 1, 1993.....

Map in support of proof of beneficial use shall be filed on or before.....N/A.....

Completion of work filed..... IN TESTIMONY WHEREOF, I.....PETER G. MORROS.....  
 State Engineer of Nevada, have hereunto set my hand and the seal of

Proof of beneficial use filed..... my office, this.....1st.....day of.....March.....

Cultural map filed.....

Certificate No..... Issued.....

A.D. 19.....88.....

State Engineer

218 (Rev.)

CANCELLED SEP 21 1995 BECAUSE OF FAILURE  
 OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

STATE ENGINEER

(PERMIT TERMS CONTINUED)

effects on existing rights and the resource within the ground water basin.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined duty of water under Permits 50145, 50146, 50147, 50148, 50149 and 50150 shall not exceed 530 million gallons annually.

